ELSEVIER

Neuroscience Letters 299 (2001) 248–250

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 299

Volume 299, nos. 1–2

Guidelines for the submission of manuscripts v

Modulation of a motor evoked response to transcranial magnetic stimulation by the activity level of the first dorsal interosseous muscle in humans when grasping a stationary object with different grip widths
Y. Hasegaw, T. Kasai, H. Kinoshita, S. Yahagi (Japan) 1

Protein deimination in the rat brain after kainate administration: citrulline-containing proteins as a novel marker of neurodegeneration
H. Asaga, A. Ishigami (Japan) 5

α2-Macroglobulin polymorphisms in Italian sporadic and familial Alzheimer's disease
B. Nacmias, A. Tedde, E. Cellini, P. Forleo, A. Orlacchio, B.M. Guarnieri, C. Petruzzi, F. D'Andrea, A. Serio, S. Sorbi (Italy) 9

Different wheat germ agglutinin-horseradish peroxidase labeling in structures related to the development of amygdaline kindling in the rat
M. Condés-Lara, E. Talavera-Cuevas, J. Larriva-Sahd, G. Martínez-Lorenzana (Mexico) 13

Effects of lowering barometric pressure on guarding behavior, heart rate and blood pressure in a rat model of neuropathic pain
J. Sato, K. Takanari, S. Omura, K. Mizumura (Japan) 17

Differences between the Lewis and Sprague–Dawley rats in chronic inflammation induced norepinephrine sensitivity of cutaneous C-fiber nociceptors
R.K. Banik, J. Sato, H. Yajima, K. Mizumura (Japan) 21

Opioid-induced adenylyl cyclase supersensitization in human embryonic kidney 293 cells requires pertussis toxin-sensitive G proteins other than G_{i1} and G_{i3}
P.H. Tso, Y.H. Wong (PR China) 25

Effects of fluvoxamine on morphine-induced inhibition of gastrointestinal transit, antinociception and hyperlocomotion in mice
Y. Ise, S. Katayama, M. Hirano, T. Aoki, M. Narita, T. Suzuki (Japan) 29

Collateral projections of nucleus raphe dorsalis neurones to the caudate-putamen and region around the nucleus raphe magnus and nucleus reticularis gigantocellularis pars α in the rat
Y.-Q. Li, T. Kaneko, N. Mizuno (People's Republic of China, Japan) 33

Real-time measurement of glutamate release from the ischemic penumbra of the rat cerebral cortex using a focal middle cerebral artery occlusion model
L.L. Guyot, F.G. Diaz, M.H. O'Regan, S. McLeod, H. Park, J.W. Phillis (USA) 37

Response latencies to visual stimulation and disparity sensitivity in single cells of the awake *Macaca mulatta* visual cortex
F. Gonzalez, R. Perez, M.S. Justo, M.A. Bermudez (Spain) 41

Human melatonin suppression by light: a case for scotopic efficiency
M.S. Rea, J.D. Bullough, M.G. Figueiro (USA) 45

The expression of substance P and its neurokinin-1 receptor mRNA in the bovine corpus luteum of early developmental stage
I. Reibiger, G. Aust, G. Tscheudschilsuren, R. Beyer, C. Gebhardt, K. Spanel-Borowski (Germany) 49

Hyperoxia modified activation-induced blood oxygenation level-dependent response of human visual cortex (V1): an event-related functional magnetic resonance imaging study
K. Kashikura, J. Kershaw, A. Kashikura, X. Zhang, T. Matsuura, I. Kanno (Japan) 53

Imaging the pain of low back pain: functional magnetic resonance imaging in combination with monitoring subjective pain perception allows the study of clinical pain states
A.V. Apkarian, B.R. Krauss, B.E. Fredrickson, N.M. Szeverenyi (USA) 57

Source of somatosensory primary cortical evoked magnetic fields (N20m) elicited by index finger stimulation moves toward mediolateral direction in area 3b in man
T. Kimura, I. Hashimoto (Japan) 61

Oxytocin enhances presynaptic and postsynaptic glutamatergic transmission between rat olfactory bulb neurones in culture
Y. Osako, T. Otsuka, M. Taniguchi, T. Oka, H. Kaba (Japan) 65

Prepro-galanin messenger RNA levels are increased in rat locus coeruleus after treadmill exercise training
H.A. O'Neal, J.D. Van Hoomissen, P.V. Holmes, R.K. Dishman (USA) 69

Mutual coupling among insect neurosecretory cells with an ultradian firing rhythm
T. Ichikawa (Japan) 73

ELSEVIER

Neuroscience Letters 299 (2001) 248–250

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 299

Volume 299, nos. 1–2

Guidelines for the submission of manuscripts v

Modulation of a motor evoked response to transcranial magnetic stimulation by the activity level of the first dorsal interosseous muscle in humans when grasping a stationary object with different grip widths
Y. Hasegaw, T. Kasai, H. Kinoshita, S. Yahagi (Japan) 1

Protein deimination in the rat brain after kainate administration: citrulline-containing proteins as a novel marker of neurodegeneration
H. Asaga, A. Ishigami (Japan) 5

α2-Macroglobulin polymorphisms in Italian sporadic and familial Alzheimer's disease
B. Nacmias, A. Tedde, E. Cellini, P. Forleo, A. Orlacchio, B.M. Guarnieri, C. Petruzzi, F. D'Andrea, A. Serio, S. Sorbi (Italy) 9

Different wheat germ agglutinin-horseradish peroxidase labeling in structures related to the development of amygdaline kindling in the rat
M. Condés-Lara, E. Talavera-Cuevas, J. Larriva-Sahd, G. Martínez-Lorenzana (Mexico) 13

Effects of lowering barometric pressure on guarding behavior, heart rate and blood pressure in a rat model of neuropathic pain
J. Sato, K. Takanari, S. Omura, K. Mizumura (Japan) 17

Differences between the Lewis and Sprague–Dawley rats in chronic inflammation induced norepinephrine sensitivity of cutaneous C-fiber nociceptors
R.K. Banik, J. Sato, H. Yajima, K. Mizumura (Japan) 21

Opioid-induced adenylyl cyclase supersensitization in human embryonic kidney 293 cells requires pertussis toxin-sensitive G proteins other than G_{i1} and G_{i3}
P.H. Tso, Y.H. Wong (PR China) 25

Effects of fluvoxamine on morphine-induced inhibition of gastrointestinal transit, antinociception and hyperlocomotion in mice
Y. Ise, S. Katayama, M. Hirano, T. Aoki, M. Narita, T. Suzuki (Japan) 29

Collateral projections of nucleus raphe dorsalis neurones to the caudate-putamen and region around the nucleus raphe magnus and nucleus reticularis gigantocellularis pars α in the rat
Y.-Q. Li, T. Kaneko, N. Mizuno (People's Republic of China, Japan) 33

Real-time measurement of glutamate release from the ischemic penumbra of the rat cerebral cortex using a focal middle cerebral artery occlusion model
L.L. Guyot, F.G. Diaz, M.H. O'Regan, S. McLeod, H. Park, J.W. Phillis (USA) 37

Response latencies to visual stimulation and disparity sensitivity in single cells of the awake *Macaca mulatta* visual cortex
F. Gonzalez, R. Perez, M.S. Justo, M.A. Bermudez (Spain) 41

Human melatonin suppression by light: a case for scotopic efficiency
M.S. Rea, J.D. Bullough, M.G. Figueiro (USA) 45

The expression of substance P and its neurokinin-1 receptor mRNA in the bovine corpus luteum of early developmental stage
I. Reibiger, G. Aust, G. Tscheudschilsuren, R. Beyer, C. Gebhardt, K. Spanel-Borowski (Germany) 49

Hyperoxia modified activation-induced blood oxygenation level-dependent response of human visual cortex (V1): an event-related functional magnetic resonance imaging study
K. Kashikura, J. Kershaw, A. Kashikura, X. Zhang, T. Matsuura, I. Kanno (Japan) 53

Imaging the pain of low back pain: functional magnetic resonance imaging in combination with monitoring subjective pain perception allows the study of clinical pain states
A.V. Apkarian, B.R. Krauss, B.E. Fredrickson, N.M. Szeverenyi (USA) 57

Source of somatosensory primary cortical evoked magnetic fields (N20m) elicited by index finger stimulation moves toward mediolateral direction in area 3b in man
T. Kimura, I. Hashimoto (Japan) 61

Oxytocin enhances presynaptic and postsynaptic glutamatergic transmission between rat olfactory bulb neurones in culture
Y. Osako, T. Otsuka, M. Taniguchi, T. Oka, H. Kaba (Japan) 65

Prepro-galanin messenger RNA levels are increased in rat locus coeruleus after treadmill exercise training
H.A. O'Neal, J.D. Van Hoomissen, P.V. Holmes, R.K. Dishman (USA) 69

Mutual coupling among insect neurosecretory cells with an ultradian firing rhythm
T. Ichikawa (Japan) 73

Methylazoximethanol acetate-induced cell death in the granule cell layer of the developing mouse cerebellum is associated with caspase-3 activation, but does not depend on the tissue-type plasminogen activator
I. Ferrer, B. Puig, E. Goutan, L. Gombau, P. Muñoz-Cánoves (Spain) 77
γ-Aminobutyric acid$_B$ autoreceptors in substantia nigra and neostriatum of the weaver mutant mouse
G. Radnikow, S. Titz, S. Mades, J. Bäurle, U. Misgeld (Germany) 81
Pancreatic islet transplantation in diabetic pregnant rats prevents acquired malformation of the ventromedial hypothalamic nucleus in their offspring
T. Harder, L. Aerts, K. Franke, R. Van Bree, F.A. Van Assche, A. Plagemann (Germany, Belgium) 85
Correlation of the electrical and intrinsic optical signals in the chicken spreading depression phenomenon
N.L.V. Peixoto, V.M. Fernandes de Lima, W. Hanke (Brazil, Germany) 89
Evidence for microvesicular storage and release of glycine in rodent pinealocytes
P. Redecker, H. Pabst, W. Löscher, S. Steinlechner (Germany) 93
No association between apolipoprotein E polymorphisms and general cognitive ability in children
D. Turic, P.J. Fisher, R. Plomin, M.J. Owen (UK) 97
Virtual image grasping in patients with Alzheimer-type dementia
W. Massing, M. Kenklies, K. Hager (Germany) 101
Effects of *p*-chlorophenylalanine on striatal acetylcholinesterase activity and on biogenic amine levels in nuclei raphe and caudate-putamen during physostigmine-induced tremor in rats
H. Mehta, B. Thomas, K.P. Mohanakumar (India) 105
Glucoprivation increases estrogen receptor α immunoreactivity in the brain catecholaminergic neurons in ovariectomized rats
B.A.S. Reyes, M.A.C. Estacio, H. I'Anson, H. Tsukamura, K.-i. Maeda (Japan, USA) 109
Differential effects of cytokines and redox potential on glutamate uptake in rat cortical glial cultures
S.-L. Liao, C.-J. Chen (Taiwan, ROC) 113
Ex vivo lumbar and post mortem ventricular cerebrospinal fluid substance P-immunoreactivity in Alzheimer's disease patients
N. Rösler, I. Wichart, K.A. Jellinger (Austria) 117
Amperometric recording of gonadotropin-releasing hormone release activity in the pituitary of the dwarf gourami (teleosat) brain-pituitary slices
M. Ishizaki, Y. Oka (Japan) 121
The mGlu$_{2/3}$ agonist 2*R*,4*R*-4-aminopyrrolidine-2,4-dicarboxylate, is anti- and proconvulsant in DBA/2 mice
R.X. Moldrich, A. Talebi, P.M. Beart, A.G. Chapman, B.S. Meldrum (Australia, United Kingdom) 125
Chemical preconditioning in mice is not mediated by upregulation of nitric oxide synthase isoforms
C.A.F. von Arnim, M. Timmler, A.C. Ludolph, M.W. Riepe (Germany) 130
Differences in sensitivity of vanilloid receptor 1 transfected to human embryonic kidney cells and capsaicin-activated channels in cultured rat dorsal root ganglion neurons to capsaicin receptor agonists
J.S. Shin, M.-H. Wang, S.W. Hwang, H. Cho, S.Y. Cho, M.J. Kwon, S.-Y. Lee, U. Oh (South Korea) 135
Differential expression of laminin and fibronectin and of their related metalloproteinases in human glioma cell lines: relation to invasion
T. Planchenault, S. Costa, C. Fages, D. Riche, C. Charrière-Bertrand, A. Perzelova, G. Barlovatz-Meimon, M. Tardy (France, Slovakia) 140
Prolonged effects of intraventricular galanin on a 5-hydroxytryptamine$_{1A}$ receptor mediated function in the rat
H. Razani, Z. Díaz-Cabiale, I. Misane, F.-H. Wang, K. Fuxe, S.O. Ögren (Sweden, Spain) 145
Increased platelet membrane phosphatidylinositol-4,5-bisphosphate in drug-free depressed bipolar patients
J.C. Soares, C.S. Dippold, K. Forster Wells, E. Frank, D.J. Kupfer, A.G. Mallinger (USA) 150
Expression of leukemia inhibitory factor in the ganglionic eminence of the human fetal brain after bleedings
N. Ulfig (Germany) 153
The extended haplotype of the microtubule associated protein tau gene is not associated with Pick's disease
C. Russ, S. Lovestone, M. Baker, S.M. Pickering-Brown, P.M. Andersen, R. Furlong, D. Mann, J.F. Powell (UK, USA, Sweden) 156
N-methyl-D-aspartate receptor antagonist reduces nitrotyrosine formation in caudate-putamen in rat focal cerebral ischemia-reperfusion
H. Hirabayashi, S. Takizawa, N. Fukuyama, H. Nakazawa, Y. Shinohara (Japan) 159
Immunohistochemical evidences for localization and production of D-serine in some neurons in the rat brain
E. Yasuda, N. Ma, R. Semba (Japan) 162

Announcement 165

Volume 299, no. 3

Aβ amyloidosis induces the initial stage of tau accumulation in APP$_{Sw}$ mice
Y. Tomidokoro, K. Ishiguro, Y. Harigaya, E. Matsubara, M. Ikeda, J.-M. Park, K. Yasutake, T. Kawarabayashi, K. Okamoto, M. Shoji (Japan) 169
Orphanin FQ/nociceptin and naloxone benzoylhydrazone activate distinct receptors in BE(2)-C human neuroblastoma cells
J.P. Mathis, C.D. Mandyam, G.F. Altememi, G.W. Pasternak, K.M. Standifer (USA) 173

Expression of a ClC chloride channel in *Caenorhabditis elegans* gamma-aminobutyric acid-ergic neurons
L. Bianchi, D.M. Miller III, A.L. George Jr. (USA) 177
Expression of type I adenylyl cyclase in intrinsic pathways of the hippocampal formation of the macaque (*Macaca nemestrina*)
P.A. Kumar, L.P. Baker, D.R. Storm, D.M. Bowden (USA, India) 181
The visual resolution of Landolt-C optotypes in human subjects depends on their orientation: the 'gap-down' effect
M. Schrauf, C. Stern (Germany) 185
Morphine applied to the ventrolateral orbital cortex produces a naloxone-reversible antinociception in the rat
X. Huang, J.-S. Tang, B. Yuan, H. Jia (People's Republic of China) 189
Pertussis toxin does not affect the time course of quantal release in crayfish and mouse muscle, but has other post- and presynaptic effects, especially on adenosine autoreceptors
M. Schramm, J. Dudel (Germany) 193
The intensity of masking noise affects the mismatch negativity to speech sounds in human subjects
A. Muller-Gass, A. Marcoux, J. Logan, K.B. Campbell (Canada) 197
The neurogenic contribution to synovial leucocyte infiltration and other outcome measures in a guinea pig model of arthritis
V.C. Hood, S.C. Cruwys, L. Urban, B.L. Kidd (UK) 201
Identification of protein kinase C isoforms involved in interferon-gamma-induced expression of inducible nitric oxide synthase in murine BV2 microglia
J. Kang, M.-s. Yang, I. Jou, E.-h. Joe (South Korea) 205
Cytidine (5′) diphosphocholine-induced decrease in cerebral platelet activating factor is due to inactivation of its synthesizing enzyme cholinephosphotransferase in aged rats
R. Giménez, J. Aguilar (Spain) 209
DOPA cyclohexyl ester, a competitive DOPA antagonist, protects glutamate release and resultant delayed neuron death by transient ischemia in hippocampus CA1 of conscious rats
N. Arai, N. Furukawa, T. Miyamae, Y. Goshima, Y. Sasaki, E. Ohshima, F. Suzuki, K. Fujita, Y. Misu (Japan) 213
Ebselen prevents excitotoxicity provoked by glutamate in rat cerebellar granule neurons
L.O. Porciúncula, J.B.T. Rocha, C.R. Boeck, D. Vendite, D.O. Souza (Brazil) 217
Functional imaging of the brain in sedated newborn infants using near infrared topography during passive knee movement
K. Isobe, T. Kusaka, K. Nagano, K. Okubo, S. Yasuda, M. Kondo, S. Itoh, S. Onishi (Japan) 221
Presence and development of thyrotropin-releasing hormone-immunoreactive amacrine cells in the retina of a teleost, the brown trout (*Salmo trutta fario*)
R. Anadón, M. Becerra, M.L. Díaz, M.J. Manso (Spain) 225
Individual and combined effects of ethanol and cocaine on the human dopamine transporter in neuronal cell lines
M. Ho, M. Segre (USA) 229
Anti-epileptiform effects of audiogenic seizure priming on in vitro kindling in rat hippocampus
K.C. Ross, J.R. Coleman, L.S. Jones (USA) 234
Detection of the *presenilin 1* gene mutation (M139T) in early-onset familial Alzheimer disease in Spain
R. Queralt, M. Ezquerra, M. Castellví, A. Lleó, R. Blesa, R. Oliva (Spain) 239

Corrigendum 242
Announcement 243
Author Index to Volume 299 244
Contents to Volume 299 248